






Installation Manual


PART NUMBER(S)		Model Year
TESS 15060 SE +ADAPT 008	TESS 16060 SE+ +ADAPT 008	FORD RANGER 2023+ SPORT WITH OEM ROLLBAR (with and without c-channels)
TESS 15070 SE +ADAPT 008	TESS 16070 SE+ +ADAPT 008	
Cab(s)		Installation Time / Weight
Double Cab & Space cab		40-60 minutes / 53-57 kg

A

x1


B

x2


C

M8

x2

D1

x1


E

M8x25

Ø8


M8

M8



x4

x6


E1

M8x20

Ø8


x2

EU MODELS


**D**

M 4,2 x 19

x2


F

x2

G1


1.5 x 0.8 x 400cm

x1


G2

5 x 0.8 x 167cm


x1

G3

x1

G4

x2


H1

Ø10

Ø10


M10

M10




x2

x4


H2

M10





























x2



x4

I


x2

J  x1	K  x2  M8x25 x8  M8 x4	L  x1	M  x5	N  x2	O  x1
P  x2 US MODELS 	  Ø 25 mm 	 - +		  4 mm	
1 - 25 Nm   10, 12, 13, 17 mm	 ACETONE				
	 H ₂ O			  T30, T40	
	  ANTI-RUST	 INSTALLATION MANUAL  OWNERS MANUAL  x1			









3




4






7




10 mm, 13 mm


! USE IN STEP 14






8




T40







12



13



14

K

K

K

! FROM STEP 7

- 4x M8
- 8x M8x25
- 2x
- 1x 10 mm

K

M8x25 x8

M8 x4

x2

10 mm

K

FROM STEP 7

[illegible]

K

x2

M8x25 x8


M8 x4

5 mm



5 mm


15





16




X:610mm Y:290mm



X:610mm Y:340mm





17



20

F




21




CAUTION: ONLY FOR SE+


L



M



x5






22





CAUTION: ONLY FOR SE+





CAUTION: LIMITED, WILDTRAK, WILDTRAK X, PLATINUM






LICENCE PLATE CONNECTOR





TAILGATE CONNECTOR

BOTTOM VIEW



DRIVER'S LEFT SIDE

PASSENGER'S RIGHT SIDE



	CAR		TESSERA ROLL+
BEAM		↔	
LICENCE PLATE 2 PIN LIGHT CONNECTOR			
		OR	
STOP		↔	
TAILGATE CONNECTOR			


24



CAUTION: ONLY FOR SE+




CAUTION: XL, XLT, TREMOR




25


L






N



x2





T30








	CAR		TESSERA ROLL+
BEAM	C	↔	
		OR	
STOP	B	↔	

CONSULT YOUR VEHICLE ENGINEER OR A QUALIFIED ELECTRICIAN TO LOCATE AND CONNECT THE GROUND WIRE.


26






27.5




G3




27.6

G4







30.1




31





32



33






36 A





WITHOUT C - CHANNELS



H1









E



CAUTION









36 A



WITH C - CHANNELS



36 B



3 mm

CAUTION



8 mm





3 mm

CAUTION


8 mm

CAUTION






37



38



GR: Οδηγίες Εγκατάστασης
GB: Installation manual
SF: Asennusohje
F: Notice de montage
PL: Instrukcja montażu
NL: Installatie-instructies
TR: Montaj Talimatı
S: Monteringsanvisning
E: Instrucciones de montaje

H: Szerelési utasítás
P: Instruções de instalação
RUS: Инструкция по установке
N: Monteringsveiledning
D: Einbauanleitung
CZ: Návod k instalaci
I: Istruzioni de montaggio
DK: Monteringsvejledning
RO: Instructiuni de instalare

Customer Service:

+30 (210) 5541161, +30 (210) 5541154 (08:00 - 16:00 EET)

Support department:

info@gianso.gr

Website:

www.tessera4x4.com

Address:

19.5 km of National road Athens-Korinthos (Elefsina) Greece, P.C: 19200